



GMM Wireless Colour Display Up to 8-Channel Weather Station with Data logging Function




SKU: GMM3000
Bar code: 736631255013
Manufacture warranty period: 12 months

This professional weather station can receive signals up to 8 outdoor sensors. All the sensors measure temperature, humidity, heat index and dew point, transmit to the console and display in defined channels.

Each remote sensor includes dip switches for channel selection and units of measure (°F vs °C).

Features:

- Can receive 8 outdoor sensors and display in 4 channel areas in turn.
- Outdoor temperature, humidity, dew point, heat index.
- Graph for weather parameters of each sensor displaying.
- Time and calendar display.
- Min/Max records
- Data logging with programmable interval.
- High/Low alarms function.
- Support 8GB micro SD card.






Specification:


- **Temperature measure range:**
 - Range: -40 to 60°C
 - Resolution: 0.1°C
- **Humidity measure range:**
 - Range: 10 to 99%
 - Accuracy: +/- 5% (under 0~45°C)
- Line of sight wireless transmission (in open air): 100 meters, 30 meters under most conditions.
- Frequency: 868 MHz
- Sensor protection rating: IPX3
- Interval time: 5 to 240 minutes
- Alarm duration: 120 second
- CD Software support up to Windows 10
- **Base Station**
 - Frame Dimensions (LxHxW): 115 x 82 x 13mm
 - LCD Dimensions (LxW): 96 x 54mm
- **Thermo-hygrometer transmitter (Remote Sensor)**
 - Dimensions (LxHxW): 122 x 42 x 19mm
- Power requirements:
 - Base Station - 5V DC adaptor (included)
 - Cable: 2 meters long
 - Remote Sensor - 2 x 1.5V AA battery (not included)

Standards Certification:

- CE



Connect to PC, able to view real-time reading.



Setup through PC or Base Station



Package Included:

- 1 x Base Station
- x Remote Sensors
- 1 x Data cable
- 1 x Software CD
- 1 X 8GB micro SD Card
- 1 x AC/DC 5V/0.5A Power Adapter
- 1 x User Manual

File Name	Size	Time	Temperature...	Humidity(%)	DewPoint(°C)	HeatIndex(°C)
2017CH1A...	228.64 ...	2017/10/02 18:27	23.3	48	11.7	23.3
2017CH2A...	228.68 ...	2017/10/02 18:47	23.8	50	12.8	23.8
2017CH3A...	228.68 ...	2017/10/02 19:07	24.0	52	13.6	24.0
2017CH4A...	228.68 ...	2017/10/02 19:27	24.2	53	14.0	24.2
2017CH5A...	228.68 ...	2017/10/02 19:47	24.6	55	15.0	24.6
2017CH8A...	1.04 KB	2017/10/02 20:07	24.8	55	15.2	24.8
		2017/10/02 20:27	25.0	56	15.6	25.0
		2017/10/02 20:47	25.2	56	15.8	25.2
		2017/10/02 21:07	25.3	56	15.9	25.3
		2017/10/02 21:27	25.4	56	16.0	25.4
		2017/10/02 21:47	25.5	56	16.1	25.5
		2017/10/02 22:07	25.6	56	16.2	25.6
		2017/10/02 22:27	25.6	56	16.2	25.6
		2017/10/02 22:47	25.7	56	16.3	25.7
		2017/10/02 23:07	25.9	56	16.5	25.9
		2017/10/02 23:27	25.9	56	16.5	25.9
		2017/10/02 23:47	25.9	56	16.5	25.9
		2017/10/03 00:07	26.0	57	16.9	26.0
		2017/10/03 00:27	26.0	57	16.9	26.0
		2017/10/03 00:47	26.0	57	16.9	26.0
		2017/10/03 01:07	26.1	57	16.9	26.1
		2017/10/03 01:27	26.2	58	17.3	26.2
		2017/10/03 01:47	26.2	58	17.3	26.2
		2017/10/03 02:07	26.3	58	17.4	26.3
		2017/10/03 02:27	26.3	58	17.4	26.3
		2017/10/03 02:47	26.4	58	17.5	26.4
		2017/10/03 03:07	26.4	58	17.5	26.4
		2017/10/03 03:27	26.4	58	17.5	26.4

Report in Graph or Excel format.