

ThermoPro TP55 LCD Digital Hygrometer Backlight Thermometer Humidity Monitor

Therm&Pro



SKU: THEPROTP55WH
Manufacture warranty period: 12 months
Country of Origin: China

Description:

Designed with futuristic styling and professional grades sensors, ThermoPro TP55 has the most sophisticated look and accurate measurements. It is highly accurate and also extremely user friendly with a soft light for dark area checks on current readings.

Further, no need to remove the device off your wall or fridge to switch settings, simply to use the touch screen display. Additionally, TP55 provides an ample amount of valuable information, for instance, displaying 24 hour/all-time high/low records and current trends for both humidity and temperature.

Features:

- 4-inch large display for easy viewing experience, includes optional backlight and simple touchscreen
- High accuracy 2~3%RH and ±1.8°F/±1°C, and a wide temperature range from -58°F to 158°F (-50°C ~ 70°C)
- Smart display with three specialty regulator levels Dry,
 Comfortable or Wet humidity
- Wall mount, Magnetic back Mount and Desktop Stand.
- Measures current readings and compares to Min and Max through all time or 24 hours
- Fahrenheit degree and Celsius degree selector to switch freely by touch screen



Specifications:

- Temperature
 - o Range: -50~+70°C (-58~+158°F)
 - o Resolution: 0.1 °C (0.1° F)
 - Accuracy: ± 1°C (1.8°F)
- Humidity
 - o Range: 10%~99%RH
 - o Resolution: 1%RH
 - Accuracy: ±2% (30% to 80%); ±3%RH (other)
- Refresh rate: 10 seconds
- Operation temperature: +10~60°C
- Power supply: 1.5V (AAA size) X 2
- Product dimension: 110 x 86 x 24mm
- Weight: approx. 90g
- Storage condition:
 - o Temperature: -20°C~60°C
 - Humidity: 20~80%RH

Package Includes:

- 1 x Temperature and humidity monitor
- 2 x AAA battery
- 1 x User Manual











ThermoPro				
Model		TP49	TP50	TP55
Picture		236 • 52 _%	Thermaline 52	Therm4Pro
Product dimension (mm)		66 x 55 x 15	79 x 67 x 23	110 x 86 x 24
Temperature		·		
Range:		`-50~+70ºC		
Resolution:		0.1 ºC		
	Accuracy:	curacy: ± 1ºC		
Humidity				
Range:		10%~99%RH		
Resolution:		1%RH		
Accuracy:		±2%(30% to 80%); ±3%RH(other)		
Refresh rate:		10 seconds		
Operation temperature:		10~60ºC		
Storage condition				
Temperature:		`-20ºC~60ºC		
	Humidity:	20~80%RH		
Comfort Indicator:		Face icon	Face icon	Word
Max/Min		No	Yes	Yes (All time/24H)
Back Light		No	No	Yes
Touch Screen		No	No	Yes
Power supply		1.5V (AAA size) X 1		
Desktop Stand		Yes	Yes	Yes
Wall Mount		Yes	No	Yes
Magnet Mount		Yes	Yes	Yes